

MATERIAL SAFETY DATA

PRODUCT TRADE NAME:

HOMAX PRODUCTS, INC. **WALL PATCH** ITEM #5504, 5506, 5508

HAZARDOUS MATERIAL INFORMATION SYSTEM	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PROTECTIVE EQUIPMENT	

(HAZARD RATING: 0 = LEAST 1 = SLIGHT, 2 = MODERATE, 3 = HIGH, 4 = EXTREME

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: HOMAX PRODUCTS, INC.

468 W. HORTON RD.

BELLINGHAM WA 98226

24 HOUR EMERGENCY PHONE NUMBER:

CHEMTREC

1-800-424-9300

INFORMATION PHONE NUMBER:

1-800-729-9029

DATE OF PREPARATION:

01/15/03

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

FIBROUS GLASS (DUST)

CAS

NUMBER 65997-17-13 DESCRIPTION

WEIGHT % NEGL.

OSHA PEL

ACGIH TLC 10mg/cuM

15mg/cuM 5mg/cuM - RESPIRABLE

AMOUNTS OF DUST WILL BE DEPENDENT UPON METHOD OF HANDLING.

SECTION III - HEALTH HAZARD DATA

INHALATION:

MECHANICAL IRRITATION

SKIN CONTACT:

MECHANICAL IRRITATION

INGESTION:

MECHANICAL IRRITATION

EYES:

MECHANICAL IRRITATION

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

DERMATITIS, HOWEVER, SENSITIVITY VARIES FROM INDIVIDUAL TO INDIVIDUAL.

CARCINOGENICITY:

N/A

SECTION IV - EMERGENCY AND FIRST AID PROCEDURES

INHALATION:

REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION.

SKIN CONTACT:

WASH WITH SOAP AND WATER OR USE WATERLESS HAND CLEANER. DO NOT USE SOLVENTS OR THININERS TO CLEAN SKIN.

INGESTION:

IF VICTIM IS CONSCIOUS, GIVE LIQUIDS. CALL A PHYSICIAN. DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY A PHYUSICIAN.

EYES:

FLUSH WITH LARGE AMOUNTS OF WATER WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

SECTION V - FIRE AND EXPLOSION DATA

FLASH POINT & METHOD: >300 F >149 C

AUTOIGNITION TEMPERATURE: N/A FLAMMABLE LIMITS IN AIR: N/A

EXTINGUISHING MEDIA: DRY CHEMICAL, WATER FOG, FOAM, CO2

FIREFIGHTING PROCEDURES: IF ENTERING A CONFINED AREA, FIREFIGHTERS SHOULD WEAR A NIOSH

APPROVED SELF-CONTAINED BREATHING APPARATUS.

OTHER PRECAUTIONS: THE FIBERGLASS WILL NOT BURN. NUMBERS CITED ARE FOR ORGANIC

RESIN FINISH.

SECTION VI - REACTIVITY DATA

STABILITY:

STABLE

INCOMPATIBILITY / MATERIALS TO AVOID:

AVOID CONTACT WITH STRONG OXIDIZERS

HAZARDOUS BY - PRODUCTS OF DECOMPOSITION:

CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES, AND OTHER UNIDENTIFIED COMPOUNDS MAY FORM UPON COMBUSTION OF THE ORGANIC RESIN FINISH.

SECTION VII - PHYSICAL / CHEMICAL DATA

BOILING POINT: N/A

MELTING POINT: >195 F (ADHESIVE)

EVAPORATION RATE: ND N/A SPECIFIC GRAVITY (WATER = 1): 1.2 – 1.3

SOFTENING POINT: >160 F (ADHESIVE)

VAPOR DENSITY (AIR = 1) N/A

SOLUBILITY: INSOLUBLE IN WATER

APPEARANCE AND ODOR: WOVEN FABRIC, NO DISCERNIBLE ODOR ADDITIONAL COMENTS: VOLATILE ORGANIC CONTENTS 0%

SECTION VIII - PERSONAL PROTECTION

RESPIRATORY PROTECTION:

NOT NORMALLY REQUIRED. IF REQUIRED USE NIOSH APPROVED DUST RESPIRATOR,

PROTECTIVE CLOTHING:

IMPERVIOUS GLOVES SUCH AS NEOPRENE OR VINYL

ADDITIONAL PROTECTIVE MEASURES:

DO NOT INGEST. SAFETY GLASSES / GOGGLES. WEAR A PROTECTIVE APRON IF REPEATED CONTACT IS LIKELY. SHOWER AND CLEAN WORK CLOTHES DAILY IS RECOMMENDED.

SECTION IX - SAFE USAGE INFORMATION

HANDLING, STORAGE, & OTHER PRECAUTIONS:

STORE AND USE IN A MANNER THAT WILL PREVENT AIRBORNE PARTICULATE IN THE WORKPLACE.

ACTION TO BE TAKEN IN CASE OF SPILL OR RELEASE (INCLUDING DISPOSAL):
WASTES SHOULD BE DISPOSED OF ACCORDING TO FEDERAL, STATE, AND LOCAL REGULATION.

SECTION X - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY HOMAX PRODUCTS, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCTS ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THESE PRODUCTS OR THE INFORMATION PROVIDED HEREWITH.